Stanford Hospital and Clinics Stanford Family Medicine ADULT HISTORY

(Page 1)

Note: Please complete all items, marking "no" or "none" for each section or item if it does NOT apply to you. Have you ever had:							
Have you ever had: For Health Center Use	□ NO !						
Use Reaction	ed?						
Diabetes							
High blood pressure							
Heart trouble							
Heart trouble							
Heart attack High cholesterol Seizures Seizures Seizures Stroke DRUGS CURRENTLY TAKEN NONE NONE Once/month or more Drug How Often What for Drug How Often Drug How Often What for Drug How Often Drug D							
Seizures Stroke DRUGS CURRENTLY TAKEN NONE							
Seizures Stroke DRUGS CURRENTLY TAKEN NONE NONE COnce/month or more Drug How Often What for Drug How Often Drug							
Stroke							
□ Hay fever/sinus □ Pneumonia □ Ulcers □ Hepatitis □ Thyroid problem □ Arthritis □ Anemia □ Venereal disease □ Urinary infection □ Breast lump □ Abnormal PAP smear □ Drug abuse □ Drug abuse □ Drug abuse □ Depression □ Psychotherapy Willing to try non-drug treatments Strongly prefer non-drug treatments Never take drugs or only as last resort SURGERY AND HOSPITALIZATIONS (Do not include emergency room visits or childbing to try composition on thich lasted for more than a few days or which the prevented work or usual activities for several days) Drug How Often What for the what fo							
□ Pneumonia □ Ulcers □ Hepatitis □ Thyroid problem □ Arthritis □ Anemia □ Venereal disease □ Urinary infection □ Cancer □ Breast lump □ Abnormal PAP smear □ Drug abuse □ Drug abuse □ Drug abuse □ Depression □ Psychotherapy □ Depression □ Psychotherapy □ Willing to try non-drug treatments □ Never take medication prescribed of myyour distance or more) □ Strongly prefer non-drug treatments □ Never take drugs or only as last resort SURGERY AND HOSPITALIZATIONS (Do not include emergency room visits or childbing)							
□ Ulcers □ Hepatitis □ Thyroid problem □ Arthritis □ Anemia □ Venereal disease □ Urinary infection □ Cancer □ Breast lump □ Abnormal PAP smear □ Drug abuse □ Drug abuse □ Depression □ Psychotherapy □ Depression □ Strongly prefer non-drug treatments □ Strongly prefer non-drug treatments □ Never take drugs or only as last resort SURGERY AND HOSPITALIZATIONS (Do not include emergency room visits or childbing to the control of the control							
☐ Hepatitis ☐ Thyroid problem ☐ Arthritis ☐ Anemia ☐ Venereal disease ☐ Urinary infection ☐ Cancer ☐ Breast lump ☐ Abnormal PAP smear ☐ Drug abuse ☐ Drug abuse ☐ Drug abuse ☐ Depression ☐ Psychotherapy ☐ Willing to try non-drug treatments ☐ Strongly prefer non-drug treatments ☐ Never take drugs or only as last resort ☐ Strongly prefer non-drug treatments ☐ Never take drugs or only as last resort ☐ SURGERY AND HOSPITALIZATIONS ☐ (Do not include emergency room visits or childbir							
☐ Thyroid problem ☐ Arthritis ☐ Anemia ☐ Venereal disease ☐ Urinary infection ☐ Cancer ☐ Breast lump ☐ Abnormal PAP smear ☐ Drug abuse ☐ Depression ☐ Psychotherapy STATEMENTS DESCRIBING YOUR USE OF MEDICATIONS: (Check one or more) Buy medication on my own to treat myself Never take medications unless prescribed ☐ Willing to try non-drug treatments ☐ Strongly prefer non-drug treatments ☐ Strongly prefer non-drug treatments ☐ Never take drugs or only as last resort SURGERY AND HOSPITALIZATIONS (Do not include emergency room visits or childbing)							
□ Arthritis □ Anemia □ Venereal disease □ Urinary infection □ Cancer □ Breast lump □ Abnormal PAP smear □ Drug abuse □ Depression □ Psychotherapy Statements Describing YOUR USE OF MEDICATIONS: (Check one or more) Buy medication on my own to treat myself Never take medications unless prescribed Usually want a medication prescribed for my Willing to try non-drug treatments Strongly prefer non-drug treatments Never take drugs or only as last resort SURGERY AND HOSPITALIZATIONS (Do not include emergency room visits or childbir) On tincinde emergency room visits or childbir							
□ Anemia □ Venereal disease □ Urinary infection □ Cancer □ Breast lump □ Abnormal PAP smear □ Drug abuse □ Depression □ Psychotherapy STATEMENTS DESCRIBING YOUR USE OF MEDICATIONS: (Check one or more) Buy medication on my own to treat myself Never take medications unless prescribed Usually want a medication prescribed for my Willing to try non-drug treatments Strongly prefer non-drug treatments Never take drugs or only as last resort SURGERY AND HOSPITALIZATIONS (Do not include emergency room visits or childbir) (Do not include emergency room visits or childbir) DESCRIBING YOUR USE OF MEDICATIONS: (Check one or more) STATEMENTS DESCRIBING YOUR USE OF MEDICATIONS: (Check one or more) SURGERY AND HOSPITALIZATIONS (Do not include emergency room visits or childbir)							
□ Venereal disease □ Urinary infection □ Cancer □ Breast lump □ Buy medication on my own to treat myself □ Never take medications unless prescribed □ Usually want a medication prescribed for my □ Willing to try non-drug treatments □ Strongly prefer non-drug treatments □ Never take drugs or only as last resort SURGERY AND HOSPITALIZATIONS (Do not include emergency room visits or childbir)							
☐ ☐ Urinary infection ☐ ☐ Cancer ☐ ☐ Breast lump ☐ ☐ Abnormal PAP smear ☐ ☐ Drug abuse ☐ ☐ Depression ☐ ☐ Psychotherapy ☐ ☐ Psychotherapy ☐ ☐ Willing to try non-drug treatments ☐ ☐ Never take drugs or only as last resort ☐ ☐ Strongly prefer non-drug treatments ☐ Never take drugs or only as last resort ☐ SURGERY AND HOSPITALIZATIONS ☐ (Do not include emergency room visits or childbir)							
□ Cancer Breast lump □ Buy medication on my own to treat myself □ Never take medications unless prescribed □ Usually want a medication prescribed for my □ Usually want a medication prescribed for my □ Willing to try non-drug treatments □ Strongly prefer non-drug treatments □ Never take drugs or only as last resort SURGERY AND HOSPITALIZATIONS (Do not include emergency room visits or childbir)							
□ Cancer MEDICATIONS: (Check one or more) □ Breast lump □ Buy medication on my own to treat myself □ Abnormal PAP smear □ Never take medications unless prescribed □ Drug abuse □ Usually want a medication prescribed for my □ Willing to try non-drug treatments □ Strongly prefer non-drug treatments □ Never take drugs or only as last resort OTHER MAJOR ILLNESSS OR INJURY (Conditions which lasted for more than a few days or which prevented work or usual activities for several days) SURGERY AND HOSPITALIZATIONS (Do not include emergency room visits or childbir							
□ □ Breast lump □ □ Abnormal PAP smear □ □ Drug abuse □ □ Depression □ □ Psychotherapy □ □ Psychotherapy □ □ Willing to try non-drug treatments □ Strongly prefer non-drug treatments □ Never take drugs or only as last resort Surgery And Hospitalizations on my own to treat myself Surgery and include emergency room visits or childbir							
☐ □ Drug abuse □ Usually want a medication prescribed for my □ □ Depression □ Willing to try non-drug treatments □ □ Psychotherapy □ Strongly prefer non-drug treatments □ Never take drugs or only as last resort OTHER MAJOR ILLNESSS OR INJURY (Conditions which lasted for more than a few days or which prevented work or usual activities for several days) SURGERY AND HOSPITALIZATIONS (Do not include emergency room visits or childbir)							
☐ □ Depression ☐ □ Willing to try non-drug treatments ☐ □ Psychotherapy ☐ □ Strongly prefer non-drug treatments ☐ □ Never take drugs or only as last resort OTHER MAJOR ILLNESSS OR INJURY (Conditions which lasted for more than a few days or which prevented work or usual activities for several days) SURGERY AND HOSPITALIZATIONS (Do not include emergency room visits or childbir							
☐ Psychotherapy ☐ Strongly prefer non-drug treatments ☐ Never take drugs or only as last resort OTHER MAJOR ILLNESSS OR INJURY (Conditions which lasted for more than a few days or which prevented work or usual activities for several days) SURGERY AND HOSPITALIZATIONS (Do not include emergency room visits or childbir	illness						
☐ Never take drugs or only as last resort OTHER MAJOR ILLNESSS OR INJURY (Conditions which lasted for more than a few days or which or usual activities for several days) SURGERY AND HOSPITALIZATIONS (Do not include emergency room visits or childbir							
OTHER MAJOR ILLNESSS OR INJURY (Conditions which lasted for more than a few days or which or usual activities for several days) SURGERY AND HOSPITALIZATIONS (Do not include emergency room visits or childbir	☐ Strongly prefer non-drug treatments						
which lasted for more than a few days or which or usual activities for several days) SURGERY AND HOSPITALIZATIONS (Do not include emergency room visits or childbir							
orevented work or usual activities for several days) (Do not include emergency room visits or childbir							
	h)						
What is your blood type?							

(addressograph stamp)

Stanford Hospital and Clinics Stanford Family Medicine

ADULT HISTORY

(Page 2)

Date Completed ___ MENSTRUAL HISTORY **SMOKING HISTORY** Age periods began _____ ☐ Smoking cigarettes currently: Spacing of periods _____ Packs/day _____ Year started (No. of days from first day of one to first day of next) ☐ Stopped smoking cigarettes Duration (No. days of bleeding) Year started ÿ Light Amount of flow Year stopped _____ ÿ Moderate Pack day when smoked __ ÿ Heavy ☐ Smoke pipe or cigars currently ☐ Smoked pipe or cigars in past Age periods stopped _ ☐ Never smoked **BIRTH CONTROL** ALCOHOL USE (Check the statement which applies) Do not drink alcohol currently ☐ Use birth control currently ☐ Currently do drink (even occasionally) Which method? __ How often: ☐ Less than 1 drink/month ☐ Do not use birth control ☐ 1-3 drinks/month ☐ 1-3 drinks/week **OBSTETRICAL HISTORY** ☐ 1-3 drinks/day Number of times pregnant How many drinks do you have at one time? Number of full term babies ____ \prod 1 or 2 drinks Number of premature babies _____ \square 3 or 4 drinks Number of abortions or miscarriages ☐ 5 or more drinks Number of living children _____ (One "drink" = one beer, one glass of wine, one shot of Number of stillborn babies liquor or one mixed drink) **Cholesterol level: HEALTH SCREENING AND PREVENTION** What was the year of your last: ☐ Never measured Tetanus shot ☐ High (Year _____) Blood pressure measurement Normal (Year _____) Test of stool for blood **Tuberculosis skin test:** Sigmoidoscopy (tube inserted into the rectum) □ Never had one Negative test (Year _____) (Women) Pap smear Positive test (Year _____) Mammogram (x-rays of the breast) **HEALTH CENTER USE** Breast exam by medical practitioner dΤ

(addressograph stamp)

Stanford Hospital and Clinics Stanford Family Medicine

ADULT HISTORY

(Page 3)

Date Completed	
Date Completed	

(addressograph stamp)

Directions: For each of the following conditions, put an "X" in the appropriate box or boxes if any of your blood relations have had that condition or if you think they **may have had** that condition, but you are not sure.

NOTE: Please be sure to mark the "None in the family" column below if applicable.

	Not Applicable	si	Juse 48	inet Mc	inet Chi	die Bro	sign sign	[ots]	skall ka	er Moi	nei stati	other supported to the service Use
1. Diabetes												
High blood pressure												
Heart trouble												
4. Heart attack before age 35												
5. High cholesterol												
6. Stroke												
7. Glaucoma												
Breast cancer												
Asthma or hay fever												
10. Tuberculosis												
11. Kidney disease												
12. Mental retardation												
13. Mental illness												
14. Suicide												
15. Alcoholism												
16. Drug abuse												
17. Other cancer												
18. A genetic disease												
19. Other (specify)												
20												
21												
22												

		ALIVE		DEAD				
	Birthdate	(Check One) Well Ill	Present Location	Year of Death	Age at Death	Cause		
Father								
Mother								
Brother(s)								
Sister(s)								
Spouse								
Children								